











	(μH)			Saturation	(mΩ)	(mΩ)
MDCA6020-R10N		±30%				
		±30%				
MDCA6020-R22N		±30%				
MDCA6020-R33M		±20%				
MDCA6020-R47M		±20%				
		±20%				
MDCA6020-R68M		±20%				
MDCA6020-1R0M		±20%				
		±20%				
MDCA6020-2R2M		±20%				
MDCA6020-3R3M		±20%				
MDCA6020-4R7M		±20%				
		±20%				
MDCA6020-6R8M		±20%				
MDCA6020-8R2M		±20%			101	116

	(μH)			Saturation	($\text{m}\Omega$)	($\text{m}\Omega$)
MDCA6020-100M		$\pm 20\%$			134	
		$\pm 20\%$			190	210
MDCA6020-220M		$\pm 20\%$			236	280


△




A 5x5 grid of squares. The grid is composed of 5 columns and 5 rows of squares. The rightmost vertical line and the bottommost horizontal line are colored red. The other lines are black.



C
C
C






MDCA6020	7.0 ± 0.1	7.7 ± 0.1	1.5 ± 0.1	4.0 ± 0.1	12.0 ± 0.1	16.0 ± 0.3	2.3 ± 0.1	1.75 ± 0.1	0.35 ± 0.05



The peel force of top cover tape shall be between 0.1 to 1.3 N


Marking	Printing Inductance+period)
---------	-----------------------------



1500 Pcs/Reel



2 Reel /Inner box(3000 Pcs)



3 Inner box/Carton box(9K Pcs)

:

•

•

•

•

•

•

•

•